


LINVATEC SURGICAL VIDEO CARTS



VP6502 MULTI-SPECIALTY CART

Includes all features shown

VP6500 STANDARD CART



- Integrated main power switch
- 10 Outlet power strip with 15' cord
- External power cord wrap
- 5 Easy-adjust shelves
- Accessory holders at each corner
- Cable management system
- Custom mounting tray for 20" Linvatec video monitor
- 5" precision wheels, two locking

VP6501 PREMIUM CART



- Includes all features of the VP6500 Standard Video Cart and:
- Split rear doors with frame-mounted lock
 - Self-retracting power cord in place of the external cord wrap
 - 15' power cord retracts from any length


VP6503 ASSISTANT CART



- Integrated main power switch
- 10 Outlet power strip with 15' cord
- External power cord wrap
- 2 Easy-adjust shelves
- Accessory holders at each corner
- 1 Full width drawer
- Cable management system
- Mounting tray for 20" video monitor
- 5" standard wheels, two locking


VIDEO DISPLAY MOUNTING SOLUTIONS*

VP6527/VP6529 PRIMARY FLAT PANEL ARMS



- Up to 52" (130cm) extension and 20" (51cm) vertical adjustment
- 360° arm rotation with pan and tilt
- Internal video and power cables
- VP6527 is compatible with Linvatec VP4610 and C3267 (NDS) displays
- VP6529 is compatible with Linvatec VP4601 (Sony) display
- Sold factory installed only on VP6501 or VP6502 video carts

VP6526 POST MOUNT



- 18" (46cm) high post with pan and tilt
- Compatible with all Linvatec 18" (46 cm) flat panel displays
- Internal cable channel

VP6520 ROTATING TRAY



- 360° tray rotation
- 4" (10cm) platform height
- Custom mounting tray for 20" Linvatec video monitor

VP6528 SECONDARY ARM



- Mounts to any of the four pole holders.
- Up to 17" (43cm) extension from corner of cart
- 270° arm rotation with pan and tilt

OPTIONAL ACCESSORIES*

VP6534 INFUSION POLE



Reclaim space in the O.R. with this cart-mounted infusion pole!

- Holds multiple fluid bags
- Fully retracts into cart-mounted infusion pole holder
- Place up to two VP6534's in one cart

VP6533 CO₂ TANK HOLDER



Convenient CO₂ storage:

- Holds up to two, medical grade CO₂ "E-tanks"
- Swings out for easy access
- Locks securely with a spring loaded retaining latch

VP6542 KEYBOARD TRAY



Ergonomic keyboard access:

- Full shelf width sliding tray
- Holds a full-width keyboard or mini-keyboard and mouse
- Fits under any easy-adjust shelf

VP6548 DRAWER



Secure, cart-mounted storage:

- Fits under any easy-adjust shelf
- Includes lock and two keys
- Field installable

VP6545 ISOLATION TRANSFORMER



Ensure patient safety:

- Limits leakage current for entire cart
- Compatible only with Linvatec VP6501 and VP6502 video carts

*SEE IMPORTANT ORDERING NOTES ON BACK OF BROCHURE

Ordering Information

Linvatec Surgical Video Carts

Ordering Information for North America

Surgical Video Carts

Linvatec Standard Video Cart, 120 VAC	VP6500
Linvatec Premium Video Cart, 120 VAC	VP6501
Linvatec Multi-Specialty Video Cart, 120 VAC	VP6502
Linvatec Assistant Video Cart, 120 VAC	VP6503
Linvatec Rolling Stand (for Flat Panel)	VP4602

Video Display Mounting Options

Rotating CRT Tray	VP6520
Pole Mount for Flat Panel	VP6526
Primary Flat Panel Arm, for Sony® Display	VP6527
Secondary Flat Panel Arm	VP6528
Primary Flat Panel Arm, for NDS Display	VP6529

Accessories

Infusion Pole - Telescoping	VP6534
CO ₂ E-Tank Holder	VP6533
Keyboard Tray	VP6542
Replacement Shelf	VP6543
Isolation Transformer, 120 VAC	VP6545
Drawer with lock	VP6548
Undercarriage for Isolation Transformer	VP6549
Video Monitor Holding Strap	VP6550
Grip "O" Console Feet Holders	7444

Power Cables

Power Cord Kit (recommended)	C7104-K
1 ft. Power Cord	C7104-1
2 ft. Power Cord	C7104-2
3 ft. Power Cord	C7104-3
4 ft. Power Cord	C7104-4
6 ft. Power Cord	C7104

Composite Video Cables

6 ft. Video Cable, BNC to BNC	8175-06
15 ft. Video Cable, BNC to BNC	8175-15
20 ft. Video Cable, BNC to BNC	8175-20

S-Video Cables

3 ft. S-Video Cable	8149-3
6 ft. S-Video Cable	8149-06
25 ft. S-Video Cable	8149-20

RGB Cables

4 ft. RGBS Cable, 4-BNC to 4-BNC	C3186
6 ft. RGBS Cable, 4-BNC to 4-BNC	8174
6 ft. RGBS Cable, HD-15 to 4-BNC (for VP1500 & flat panels)	VP9501

Accessory Cables and Adapters

Remote Cable, 3.5mm to 3.5mm, "Stereo"	IM9001
Splitter Cable, 3.5mm, "Stereo"	IM9005
"IZZITON" Cable, (for Sony Monitor Light)	7149

Important Ordering Notes

Video Display Mounting Solutions

Each VP6500 series video cart includes a standard mounting tray that is customized to securely hold a 20" Sony medical CRT video display. This standard CRT tray may be replaced with either the VP6520, VP6526, VP6527 or VP6529 display mounts.

All display mounts are sold separately but are pre-installed when possible, if ordered with a video cart. VP6527 and VP6529 primary arms are sold factory installed only.

Optional Accessories

Accessories may not be compatible with all models. Check the brochure description for compatibility. All accessories are sold separately but are pre-installed if ordered with a cart.

Ordering Multiple Cart Configurations

When ordering carts of different accessory and display-mount configurations, please specify the quantity and configuration of each type cart.

Specifications

VP6500, VP6501, VP6502 and VP6503 Video Carts

Model	Cart Weight	Shipping Weight
VP6500	168 lb / 371 kg	215 lb / 475 kg
VP6501	205 lb / 453 kg	255 lb / 564 kg
VP6502	230 lb / 508 kg	280 lb / 619 kg
VP6503	163 lb / 360 kg	210 lb / 464 kg

Note: additional accessories increase shipping weight.

Dimensions	Height (in/cm)	Width (in/cm)	Depth (in/cm)
Maximum:	53.00 / 135	27.00 / 69	28.65 / 73
Body:	44.75 / 114	25.00 / 64	26.75 / 68
Shelf:	42.50 / 108	20.75 / 53	18.75 / 47

Wheels:	Quantity 4, 5" twin casters (2 with locks)
Power outlets:	Quantity 10
Power Cord:	15 ft. with North American Hospital Grade Plug
Electrical Ratings	115 VAC, 60Hz, 13.5 Amps

Certifications

All electrical components are hospital grade and are UL and CSA certified.

ARTHROSCOPY • ELECTROSURGERY • ENDOSURGERY • IMAGING • INTEGRATED SYSTEMS • PATIENT CARE • POWERED INSTRUMENTS



11311 Concept Boulevard
Largo, FL 33773-4908
(727) 392-6464
Customer Service: 1-800-237-0169
FAX: (727) 399-5256
International FAX: +1 (727) 397-4540
email: customer_service@linvatec.com
www.linvatec.com

©2004 Linvatec Corporation, a subsidiary of CONMED Corporation, 10/04, IBR 9051